




## ED7000 Series

Exit Device Parts Manual







PART NO.

292F41

PART NAME and DESCRIPTION


10 ADJ. STRIKE (includes screws)

ITEM

ITEM	PART NAME and DESCRIPTION				PART NO
1	CROSSBAR Regularly 31 11/16" long, unless otherwise specified			141L59	
2	WRENCH			123F53	
3	SCREW PACKET 13/8"		Door	329F75	
	No Outside Trim, For Active & Inac		3/4"	Door	269F91
	(4 each Sex Nuts		1/4"	Door	270F01
	For Inactive Ca	ise	3/8"	Door	329F76
	ED7200 x M52 ED7200 x M66		3/4"	Door	269F92
	(2 each Sex Nuts		1/4"	Door	270F02
4	ACTIVE CASE	ED7200		R.H.	269F69
	SUB ASS'Y			L. H.	269F70
		ED7200 x M52		R. H.	269F71
_				L. H.	269F72
	ED7200 x M66 R		R. H.	269F65	
				L. H.	269F66
	ED7200 × M50	ED7200 x M52 x I	M66	R. H.	269F67
				L. H.	269F68
5	*INACTIVE CASE SUB ASS'Y	ED7200, ED7200 x M66		R. H. L. H.	269F73 269F74
		ED7200 x M52,	4	R. H.	269F75
	ED7200 x M52, ED7200 x M66 x M52		L. H.	269F76	
6	ADJ. STRIKE (inc	cludes screws)			145F56
7	ADJ. STRIKE (inc			100	145F55
8	ADJ. STRIKE (inc	ludes screws)			142F43
9	ADJ. STRIKE (includes screws)			300F71	

10	ADJ. STRIKE (IIIGGGES	00101101		292141
11	REINFORCING TUBE specify length			141L54
12	ACTIVE CASE			269F36
13	COVER ED7200, R. H.		269F33	
	ED7200 >	c M66	L. H.	269F34
	ED7200 >	M52, M52 x M66		269F34
14	10-32 X 1* PHILLIPS FLAT	HEAD MACHINE SCREV	٧	291F57
15	SCREW			333F51
16	LATCH RETRACTOR	ED7200 x M66	3	269F39
		ED7200		269F40
17	LEVER PIVOT			269F48
18	59-040-187-05-0750	ROLLPIN		228F80
19	LEVER	7	R. H.	269F32
			L. H.	269F31
20	LATCH PIN		269F58	
21	BUSHING		269F49	
22	NYLINER			269F47
23	LATCH SPRING			269F53
24	WASHER	D7200 x M66		269F56
	E	D7200		269F55
25	SPRING WASHER	Section 1997		269F57
26	HUB			269F37
27	HUB SHANK			269F52
28	HOLDBACK SLEEVE		269F46	
29	NYLON WASHER			164F32
30	5/16-24 UNF-2A X 11/2" FH 5	SOCKET MACHINE SCR	EW	261F31
31	LATCH SUB ASS'Y			376F42
32	DOGGING DEVICE SU	JB ASS'Y		321F90
33	TENON SUB ASS'Y			378F74

<sup>\*</sup>See page 8 for Inactive Case component parts list.




ITEM	PART NAME and	DESCRI	PTION		PART NO.
1	BOTTOM STRIKE (include:	s screws	and an	chors)	352F04
2	BOTTOM LATCH SUB ASS'Y (complete bottom latch less cover)				351F90
3	BOTTOM LATCH COVER				351F72
4	PIN				352F03
5	ADJUSTING BOLT				351F93
6	ADJ. BOTTOM ROD SUB	ASS'Y			392L19M537
7	ROD GUIDE SUB ASS'Y	9			352F01
8	ACTIVE CASE	With do	ogging	R. H.	351F56
	SUB ASS'Y No outside trim			L. H.	351F57
	13/8", 13/4", 21/4" Doors	Less de	ogging	R. H.	351F58
	ED7400			L. H.	351F59
	With outside operator trim	With do	ogging	R. H.	351F60
	13/4" Doors			L. H.	351F61
	ED7400	Less de	paging	R. H.	351F62
			00 0	L. H.	351F63
	With outside operator trim	With do	pagina	R. H.	364F82
	21/4" Doors		999	L. H.	364F83
	ED7400	Less de	ogging	R. H.	364F84
		Less W	ogging	L.H.	364F85
	With lever handle trim	W/Seb ala			
	1 3/4" Doors	With do	ogging	R. H.	364F90
	ED7401			L. H.	364F91
		Less de	ogging	R. H.	364F92
_	Variable Control			L. H.	364F93
9	SCREW PACKET No Outside Trim			Door	329F75
	ED7400		13/4	Door	269F91
	For Active & Inactive Ca (4 each Sex Nuts & Bolt		21/4"	Door	270F01
	ED7400 (4 each Sex Nuts & Bolt	s)	0,000	Door	269F92
			21/4	Door	270F02
10	TOP ROD (regularly furnish	ned)			393L13M672
11	TOP LATCH COVER				351F73
12	DRIVE RIVET		-2.1		352F02
13	TOP ROD CONNECTOR S	SUB ASS	Y		351F98
14	ANCHOR				361F30
15	TOP LATCH SUB ASS'Y (complete top latch less con	ver)			351F85
16	TOP STRIKE (includes scre	ews)			352F05
17	CROSSBAR Regularly 3 unless other	1 <sup>11</sup> /16" lo rwise spe	ng, ecified		141L59
18	*INACTIVE CASE	With do	ogging	R. H.	269F73
	SUB ASS'Y			L. H.	269F74
		Less de	oggina	R. H.	269F75
	Less dogging		-		
				L. H.	269F76

<sup>\*</sup>See page 8 for Inactive Case component parts list.

ITEM	PART NAME and DESCRIPTION			RT NO.
20	FLUSH BOTTOM STRIKE (includes screws and anchor)			S1F91
21	REINFORCING TUBE Specify length			11L54
22	COVER only	With dogging R	. H. 26	9F33
		L	Н. 26	9F34
		Less dogging	26	9F35
23	ACTIVE CASE only	With bottom rod	35	51F50
No.	100 M	Without bottom r	od 35	51F51
24	SLIDE SUB ASS'Y		35	51F55
25	BUTTON		26	69F54
26	LEVER PIVOT		26	69F48
27	#59-040-187-05-0750 F	ROLLPIN	22	28F80
28	NYLINER		26	69F47
29	BUSHING		26	69F49
30	DOGGING DEVICE SUB	ASS'Y	33	21F90
31	LEVER	F	. H. 2	69F32
		ī	. H. 2	69F31
32	5/16-24 UNF-2A x 1 1/2" FLAT HEAD SOCKET MACHINE SCREW			61F31
33	TENON SUB ASS'Y			78F74
34	*10-32 x 7/16* PHIL FLAT H'D UND'CUT MACH. SCREW			51F52
35A	SLIDE EXTENSION SUB	ASS'Y 13/4" D	oor 3	65F00
	For Grip or Pull Trim	21/4" D	oor 3	65F01
35B	For Lever Handle Trim 1 3/4" Doors only – Specify hand			65F03
36	BOTTOM LATCH only		3	51F86
37	#79-032-156-0937 ROL	LPIN (in frame)	3	51F80
38	#79-032-156-0562 ROL	LPIN (in latch)	2	28F68
39	LATCH LINK		3	51F87
40	BOTTOM LATCH BACKP	LATE	3	51F88
41	SPRING		3	51F89
42	1/4-20 X 3/4" PHIL BINDING U (Specify US19)	NDERCUT MACH, SCR	EW 3	52F06
43	1/4-20 X 2* PHIL OVAL HEAD for Metal Doors	TAPPING SCREW	3	65F98
	#14 X 2 <sup>1</sup> /4* SLOTTED OVAL H for Wood Doors	EAD WOOD SCREW	3	52F07
44	TOP LATCH only		3	51F79
45	#79-040-187-0875 ROI	LLPIN	2	84F97
46	TOP LATCH BACKPLATE		3	51F82
47	TOP LATCH SLIDE		3	51F83
48	SPACER		3	51F84
49	SEX NUT only	1 3/8" Door Thickne	ess 1	01F73
		1 3/4" Door Thickne	ess 1	01F74
		2 1/4" Door Thickne	ess 1	01F75
50	THROUGH BOLT		2	70F11

<sup>\*\*</sup>Apply grade EV Loctite (or equivalent) to threads.






ITEM	PART NAME and DESCRIPTION				PART NO.
1	TOP STRIKE	Regular			183F85
	SUB ASS'Y includes screws	Reveal Depth	51/2"	To 8"	213F10
	II ICUGES SCIEWS		Under	5 1/2"	213F11
2	TOP LATCH SUB ASS'Y	for door heights	6'4" to	8'6"	183F74
	(includes top rod)	for door heights	8'6" to	10'8"	183F75
					en a
4	COTTER PIN	a constitution		_	269F04
5					
	LOWER BOLT SU	B ASS'Y (include	s botto	m rod)	305F72
6	BOTTOM STRIKE				
6					305F72
_	BOTTOM STRIKE	(includes screws			305F72 123F22
7	BOTTOM STRIKE ANCHOR	(includes screws	and a		305F72 123F22 361F30
7 8	BOTTOM STRIKE ANCHOR MOUNTING BRAC #10-32 NF-2A X <sup>7</sup> /16*	(includes screws  CKET  PHILLIPS FLAT HE E SCREW  PHILLIPS OVAL HE.	AD specif	nchors)	305F72 123F22 361F30 122F18
7 8 9	BOTTOM STRIKE ANCHOR MOUNTING BRAC #10-32 NF-2A X <sup>7</sup> /16* UNDERCUT MACHIN #10-32 NF-2A X <sup>1</sup> /4*	CKET PHILLIPS FLAT HE E SCREW PHILLIPS OVAL HE E SCREW	AD specif	nchors)	305F72 123F22 361F30 122F18 351F52
7 8 9	BOTTOM STRIKE ANCHOR MOUNTING BRAC #10-32 NF-2A X <sup>7</sup> /16" UNDERCUT MACHIN #10-32 NF-2A X <sup>1</sup> /4" UNDERCUT MACHIN LOCK WASHER 8 ACTIVE CASE	CKET PHILLIPS FLAT HE E SCREW PHILLIPS OVAL HE E SCREW	AD specification and a spe	nchors)	305F72 123F22 361F30 122F18 351F52 269F09
7 8 9 9A 10	BOTTOM STRIKE ANCHOR MOUNTING BRAC #10-32 NF-2A X <sup>7</sup> /16* UNDERCUT MACHIN #10-32 NF-2A X <sup>1</sup> /4* UNDERCUT MACHIN LOCK WASHER 8	CKET PHILLIPS FLAT HE E SCREW PHILLIPS OVAL HE E SCREW E SCREW	AD specification and a spe	fy finish	305F72 123F22 361F30 122F18 351F52 269F09
7 8 9 9A 10	BOTTOM STRIKE ANCHOR MOUNTING BRAC #10-32 NF-2A X <sup>7</sup> /16" UNDERCUT MACHIN #10-32 NF-2A X <sup>1</sup> /4" UNDERCUT MACHIN LOCK WASHER 8 ACTIVE CASE	CKET PHILLIPS FLAT HE E SCREW PHILLIPS OVAL HE E SCREW E SCREW	AD specifAD type	fy finish	305F72 123F22 361F30 122F18 351F52 269F09 269F05 291F52
7 8 9 9A 10	BOTTOM STRIKE ANCHOR MOUNTING BRAC #10-32 NF-2A X <sup>7</sup> /16" UNDERCUT MACHIN #10-32 NF-2A X <sup>1</sup> /4" UNDERCUT MACHIN LOCK WASHER 8 ACTIVE CASE	CKET PHILLIPS FLAT HE E SCREW PHILLIPS OVAL HE E SCREW 2º external c'sink With dog	AD specifAD type	ry finish  R. H. L. H.	305F72 123F22 361F30 122F18 351F52 269F09 269F05 291F52 291F53


ITEM	PART NAME and DESCRIPTIO	N	PART NO.
13	WRENCH		123F53
14	CROSSBAR Regularly 31 11/16" long, unless otherwise specified	141L59	
15	*INACTIVE CASE With dogging	R. H.	269F73
	SUB ASS'Y	L. H.	269F74
	Less dogging	R. H.	269F75
		L. H.	269F76
28	1/4-20NC-2A X 5/8" PHIL FLAT HEAD MACH. S	CREW	220F75
29	1/4-20NC-2A X 13/4" PHIL OVAL HEAD MACH.	SCREW	249F33
30	REINFORCING TUBE Specify length		141L54
31	COVER only With dogging	R. H.	269F33
		L. H.	269F34
	Less dogging		269F35
32	#10-32 X 1" PHILLIPS FLAT HEAD MACHINE SO	291F57	
33	STOP PLATE		291F49
34	BUTTON		291F54
35	LEVER PIVOT		269F48
36	LEVER	R. H.	269F32
		L. H.	269F31
37	#59-040-187-0750		228F80
38	BUSHING		269F49
39	NYLINER		269F47
40	5/16-24 UNF-2A X 1 1/2" FH SOCKET MACH. SC	REW	261F31
41	SLIDE SUB ASS'Y		293F18
42	DOGGING DEVICE SUB ASS'Y		321F90
43	TENON SUB ASS'Y		378F74
44	CASE only. For active and inactive sub-assemblies		269F42
45	#8-32NC-2A X 3/6" PHILLIPS FLAT HEAD UND MACHINE SCREW	ERCUT	269F08

<sup>\*</sup>See page 8 for Inactive Case component parts list.




ITEM	PART NAME and DESCRIPTION			PART NO
1	INACTIVE CASE only		269F42	
2	COVER	R With dogging	R. H.	269F33
			L. H.	269F34
		Less dogging		269F35
3	#10-32 X 1" PHILLIPS FLAT H	HEAD MACHINE SC	REW	291F57
4	INNER SPRING		269F60	
5	OUTER SPRING		269F57	
6	SLIDE		269F41	
7	LEVER PIVOT		269F48	
8	#59-040-187-0750 ROL	LPIN		228F80
9	LEVER		R. H.	269F32
			L. H.	269F31
10	BUTTON			269F54
11	BUSHING		269F49	
12	NYLINER		269F47	
13	DOGGING DEVICE			321F90

0355, 0357, 0455, 0456, 0457




ITEM	PART	NAME and DESCRIPTI	ON	PART NO.
46	CYLINDER A	SSEMBLY	A	s Cataloged
47	CYLINDER C	OLLAR		134F05
48	1/4-20 X 3/8" PHIL BINDING HEAD MACHINE SCREW		352F06	
49	HANDLE LEV	/ER		122F64
50	SPACER WAS	SHER (NYLON)		122F63
51	CASE			363F05
52	HEX NUT			129F84
54	ROLLPIN (#7	9-028-125-0500 ST'D)		228F51
55	SPRING-LOG	CKING LEVER		122F59
56	LOCKING LE	VER for 4163, 4168, 693,	698	122F57
57	LOCKING LE	VER for 4161, 691		122F56
58	PLATE			362F91
59	#10 LIGHT SE	PRING WASHER		306F07
60	#10-24 X 5/16" P	HIL. ROUND HEAD MACHINE	SCREW	306F06
61	LOCKING HUB for 4163, 693		122F61	
62	LOCKING HUB for 4161, 4168, 691, 698		122F60	
63	LIFTING LEV	ER		185F55
64	JAM NUT			184F94
65	ROLLPIN (#7	9-028-125-0343)		228F49
66	STUD			173F69
66A	STUD			140F52
67	NUT			362F49
68	SCREW			352F06
69	PULL SA			404F57
70	SCREW	for 13/4° dr 1/4-20 X 25/8° C	HMS-PH	285F33
	PACKET	for 21/4° dr 1/4-20 X 31/8° C	HMS-PH	222F94
72	BRACKET TO	OP .	R. H.	362F98
			L. H.	362F99
73	GRIP			328F80
74	BRACKET BO	ОТТОМ	R. H.	363F02
			L. H.	363F03




PART NAME and DESCRIPTION	PART NO.
CYLINDER ASSEMBLY (for Master Ring Cyl.) A	s Cataloged
MASTER RING CYLINDER A	s Cataloged
1/4-20 X 3/4" PHILLIPS BINDING HEAD MACHINE SCREW	352F06
HANDLE LEVER	122F64
SPACER WASHER (NYLON)	122F63
CASE	363F07
WASHER	122F24
#6-32 X 5/8" ROUND HEAD MACHINE SCREW	268F84
ROLLPIN (#79-028-125-0500 ST'D)	228F51
SPRING-LOCKING LEVER	122F59
LOCKING LEVER for MR4163, MR4168, MR693, MR698	122F57
LOCKING LEVER for MR4161, MR691	122F56
PLATE	362F91
#10 LIGHT SPRING WASHER	306F07
#10-24 X 5/16" PHIL. ROUND HEAD MACHINE SCREW	
LOCKING HUB for MR4163, MR693	122F61
LOCKING HUB for MR4161, MR4168, MR691, MR698	122F60
LIFTING LEVER	185F55
JAM NUT	184F94
ROLLPIN (#79-028-125-0343)	228F49
STUD	173F69
STUD	140F52
NUT	362F49
SCREW	352F06
PULL SA	404F57
SCREW for 13/4° dr 1/4-20 X 25/8° OHMS-PH	285F33
PACKET for 21/4" dr 1/2-20 X 31/8" OHMS-PH	222F94
	3
BRACKET TOP R. H.	362F98
L. H.	362F99
GRIP	328F80
	363F02
L. H.	363F03
	CYLINDER ASSEMBLY (for Master Ring Cyl.) A MASTER RING CYLINDER A  1/4-20 X 3/4* PHILLIPS BINDING HEAD MACHINE SCREW HANDLE LEVER SPACER WASHER (NYLON)  CASE WASHER #6-32 X 5/8* ROUND HEAD MACHINE SCREW ROLLPIN (#79-028-125-0500 ST'D) SPRING-LOCKING LEVER LOCKING LEVER for MR4163, MR4168, MR693, MR698 LOCKING LEVER for MR4161, MR691  PLATE #10 LIGHT SPRING WASHER #10-24 X 5/16* PHIL. ROUND HEAD MACHINE SCREW LOCKING HUB for MR4163, MR693 LOCKING HUB for MR4161, MR4168, MR691, MR698 LIFTING LEVER JAM NUT ROLLPIN (#79-028-125-0343) STUD STUD NUT SCREW PULL SA SCREW PULL SA SCREW PACKET    for 13/4* dr 1/4-20 X 25/8* OHMS-PH     for 21/4* dr 1/2-20 X 31/8* OHMS-PH     L. H.   GRIP   BRACKET BOTTOM   R. H.





ITEM	PART NAME and DESCRIPTION	14	PART NO.
46	CYLINDER ASSEMBLY		As cataloged
47	CYLINDER COLLAR		134F05
48	CASE & TORQUE RELEASE	R.H.	364F38
	SUB ASSY	L.H.	364F39
		R.H.	364F36
		L.H.	364F37
49	STUD		140F52
50	NUT		173F72
51	HEX NUT		129F84
52	ROLLPIN		228F51
53	SPRING - LOCKING LEVER		122F59
54	LOCKING LEVER	for x455	365F53
		for x457	365F54
55	WASHER		364F22
56	#10 LIGHT SPRING WASHER		306F07
57	#10-24 X 5/16" PHIL ROUND HEAD MAC	H. SCREW	364F17
58	LOCKING SLIDE		364F27
59	LIFTING LEVER		364F30
60	JAM NUT		184F94
61	STUD		140F52
62	NUT ·		173F72
63	SCREW PACKET		363F67
64	SET SCREW		262F89
65	HANDLE LEVER	C4 / C4M	152F17
		D4 / D4M RHR	324F09
		D4 / D4M LHR	324F10
	KNOB	B5M	580F31
		G6M	580F30



ITEM	PART NAME and DESCRIPTION		PART NO.
46	CYLINDER ASSEMBLY (for Master Ring C		As cataloged
47	MASTER RING CYLINDER		As cataloged
48	CASE & TORQUE RELEASE	R.H.	364F38
	SUB ASSY	L.H.	364F39
		R.H.	364F36
		L.H.	364F37
49	STUD		140F52
50	NUT		173F72
51	WASHER		122F24
52	#6-32 X 5/8" RHMS		268F84
53	ROLLPIN		228F51
54	SPRING - LOCKING LEVER		122F59
55	LOCKING LEVER	for x455	365F53
		for x457	365F54
56	WASHER		364F22
57	#10 LIGHT SPRING WASHER		306F07
58	#10-24 X 5/16" PHIL ROUND HEAD MACH	. SCREW	364F17
59	LOCKING SLIDE		364F27
60	LIFTING LEVER		364F30
61	JAM NUT		184F94
62	STUD		140F52
63	NUT		173F72
64	SCREW PACKET		363F67
65	SET SCREW		262F89
66	HANDLE LEVER	C4 / C4M	152F17
		D4 / D4M RHR	324F09
		D4 / D4M LHR	324F10
	KNOB	B5M	580F31
		G6M	580F30

## TO CONVERT INCHES TO MILLIMETERS: MULTIPLY BY 25.4

INC	INCHES:	
Decimal	Fraction	Millimeters
.03125	1/32	.794
.0625	1/16	1.588
.09375	3/32	2.381
.125	1/8	3.175
.15625	5/32	3.969
.1875	3/16	4.763
.21875	7/32	5.556
.25	1/4	6.350
.28125	9/32	7.144
.3125	5/16	7.938
.343375	11/32	8.731
.375	3/8	9.525
.40625	13/32	10.319
.4375	7/16	11.113
.46875	15/32	11.906
.5	1/2	12.70

INCHES:		METRIC:
Decimal	Fraction	Millimeters
.53125	17/32	13.494
.5625	9/16	14.288
.59375	19/32	15.081
.625	5/8	15.875
.65625	21/32	16.669
.6875	11/16	17.463
.71875	23/32	18.256
.75	3/4	19.050
.78125	25/32	19.844
.8125	13/16	20.638
.6875	27/32	21.431
.875	7/8	22.225
.90625	29/32	23.019
.9375	15/16	23.813
.96875	31/32	24.606
1.0	1	25.40

TO CONVERT MILLIMETERS TO INCHES: MULTIPLY BY .0394



## In U.S.

Corbin Russwin Architectural Hardware 225 Episcopal Road Berlin, CT 06037 Phone: 800-543-3658 Fax: 800-447-6714 corbinrusswin.com

## In Canada

ASSA ABLOY Door Security Solutions Canada 160 Four Valley Drive Vaughan, Ontario Canada L4K 4T9 Phone: 800-461-3007

Fax: 905-738-2478 www.assaabloy.ca

For more information regarding Corbin Russwin Locksets, Exit Devices, Door Controls and Key Systems, contact your authorized Corbin Russwin Distributor or Sales Representative.

Corbin Russwin and Design® is a registered trademark of Corbin Russwin, Inc., an ASSA ABLOY Group company. Other products' brand names may be trademarks or registered trademarks of their respective owners and are mentioned for reference purposes only. These materials are protected under US copyright laws. All contents current at time of publication. Corbin Russwin, Inc., an ASSA ABLOY Group company reserves the right to change availability of any item in this catalog, its design, construction, and/or its materials. Copyright © 1997, 2009 Corbin Russwin, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Corbin Russwin, Inc. is prohibited.

 $ASSA\,ABLOY\,is\,the\,global\,leader\,in\,door\,opening\,solutions,\,dedicated\,to\,satisfying\,end-user\,needs\,for\,security,\,safety\,and\,convenience.$